

APR. 14. 2004 4:04PM

MEDTRONIC LAW DEPT

RECEIVED
CENTRAL FAX CENTER

NO. 0574 P. 1/3

APR 14 2004

OFFICIAL



Medtronic

Facsimile Cover Sheet

To: Examiner Oropeza
Company: US Patent and Trademark Office

Fax: 703 872 9306

From: Paul H. McDowall
Company:  **Medtronic**
Phone: 763 514 3351
Fax: 763 514 6982

Date: April 14, 2004

**Pages including this
cover page:** 3

Comments:

In re Application of: Warkentin et al.
For: MULTI-SITE VENTRICULAR PACING SYSTEM MEASURING QRS
DURATION
Serial No.: 09/896,281
Filed: June 29, 2001

IF TELECOPY IS ILLEGIBLE OR ALL PAGES HAVE NOT BEEN RECEIVED, PLEASE CONTACT MOLLY CHLEBECK AT TELEPHONE (763) 514-3118 IMMEDIATELY.

THE INFORMATION CONTAINED IN THIS FACSIMILE MESSAGE IS ATTORNEY PRIVILEGED AND CONFIDENTIAL INFORMATION INTENDED ONLY FOR THE USE OF THE INDIVIDUAL OR ENTITY NAMED ON THIS TRANSMITTAL FORM. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION IS STRICTLY PROHIBITED. IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US BY TELEPHONE, AND RETURN THE ORIGINAL MESSAGE TO US AT THE ADDRESS LISTED ABOVE VIA THE U.S. POSTAL SERVICE. THANK YOU.

DOCKET NO.: 9002.00

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
RCE TRANSMITTAL

In re Application of: Warkentin et al.

For: MULTI-SITE VENTRICULAR PACING SYSTEM MEASURING QRS DURATION

Serial No.: 09/896,281

Filed: June 29, 2001

CERTIFICATE UNDER 37 CFR §1.8 I hereby certify that this Transmittal and the paper(s), as described herein are being sent via facsimile No. (703) 872-9308, addressed to the Commissioner for Patents, Mail Stop RCE, on this 14th day of April, 2004.

Signature

MOLLY CHLEBECK

Printed Name

Mail Stop RCE
Commissioner for Patents
P.O. Box 1450,
Alexandria, VA 22313-1450

Sir:

We are transmitting herewith the attached:

☒ Request for RCE Transmittal

☒ Please charge any additional fees or credits to Deposit Account No. 13-2546 which may have been overlooked on this Transmittal with regard to this filing. A duplicate of this transmittal is enclosed.

☒ Applicant believes that no extension of time is required. However, if an extension of time is required, please consider this a petition therefor to provide for the possibility that applicant has inadvertently overlooked the need for an extension of time.

Date

14 April '04

P. McDowall
Paul H. McDowall, Reg. No. 34,873
Telephone: (763) 514-3351
Customer No. 27581